



Gas station



Car washing
center



RESTAURANT
Restaurant



Taxi
Company



Parking

Car Mat washer



Koeng Co., Ltd.

Car mat washer

- The mat washer is the ideal supplement to your station equipment.
- Any sort of dirt is cleaned off your car rug by mat washer, environment friendly, properly and quickly.

Sponge roller type



Sponge roller type

MODEL: KM 610

Features

- Semi-automatic by handle (One touch handle)
- Structure : All stainless steel built body and frames rust free and durable
- Hi-speed cleaning mechanism (7sec/1mat)
- Adjusting of mat thickness:Automatically adjustable according to the rug-thickness by spring
- Anti-freezing by integrated thermostat & heating coil and pad installed (Low maintenance)
- Washing and drying in one cycle.
(Washed by brush and dehydrated by sponge roller pressure.)
- Multi-cleaning functions from damp to dry clean
- Water quantity control lever (water saving effect)
- Easy operation & installation
- Strong endurance
- comfortable check-out and repair

Optional

- Perfume & disinfection & deodorization function
- Coin system available
- Integrated thermostat (Anti-freezing device)

Material	All Stainless steel frame
Max. Mat width	600 mm
Washing Time	5 sec/unit (Mat size 600×800mm)
Inner Diameter	Roller : 15 mm
Power supply	AC 220V, 1ph, 1/4 HP
Weight	78 kgs
Dimensions	460(W)×940(L)×1,120(H)mm

Stainless steel frames
Low maintenance

Air blower car mat washer



Air blower type
MODEL: KM 300A

Features

- Full automatic operation.
- Structure : All stainless steel built body and frames rust free and durable
- Multi-cleaning functions : Perfect washing and consistent dry by air blower
(After watering, washed by brush and dry with strong air blower.)
- It can be operated without water, and dried perfectly, so there is not any odor.
- Anti-freezing : Due to air blower dry system, do not need any device, do not need water in winter during washing.
- Washing and drying in one cycle.
- Time saving : cleans 5 rugs in 3 minutes
- Prevent mat rolling and frequent mechanical trouble.
- Simple structure: Strong durability, no frequent mechanical problem.(low maintenance)

Optional

- perfume & disinfection & deodorization function
- Coin system available

Material	All Stainless steel frame
Max. Mat width	700 mm
Washing Time	5 sec/unit (Mat size 600×800mm)
Power supply	AC 220V, 1ph, 1/2 HP
Weight	185 kgs
Dimensions	980(W)×540(L)×1,050(H)mm


Vacuum cleaner

Features

Super strong vacuum and durability
 Special design for heavy duty motor : Low noise (under 60db)
 Separate collect dust box : User can empty the dust easily
 Rotation : 360° rotation (upper and down)



KVS I



KVS II



KV32

Model	KVS I	KVS II
Material	All Stainless steel frame	
Dimensions (WxLxH) mm	660x400x1,500	1,200x400x1,500
Power supply	220V/1ph/2.5 KW	220V/1ph/5 KW


Model: KV 32
Material : All Stainless steel frame
Out put : 2400 (W) / 3.2 HP
Motor : Dry and wet
Power supply : 220V/1ph/2.5 KW
Dimensions : 600(W) X 630(L) X 1,080(H) mm
Weight : 26 kg



liquid supplier for wipers



Air inflator

 **Koeng Co., Ltd.**

B-806, Twintech, 345-9, Gasan-Dong,
 Geumcheon-Gu, Seoul, Korea.
 Tel : +82-2-6292-6300 Fax: +82-2-6292-6292
 http://www.koeng.com E-mail: export@koeng.com



- The manufacture reserves the right to change the product specifications without notice and liability.